(Absence of an entry indicates that data were not estimated.)

Map symbol and soil name	Depth	exchange	 Effective cation exchange capacity	reaction		Gypsum 	Salinity	Sodium adsorp- tion ratio
	- -In	meq/100 g	meq/100 g	 pH	Pct	Pct	mmhos/cm	-
AdB2: Aldino	0-10 10-22 22-36 36-60	 	 	3.6-5.5 3.6-5.5 3.6-5.5 5.1-7.3	 	 	0 0 0	
AdC2: Aldino	0-10 10-22 22-36 36-60	 	 	3.6-5.5 3.6-5.5 3.6-5.5 5.1-7.3	 	 	0 0 0	
AgB2: Aura	0-8 8-59 59-72	 	 	3.6-5.0 3.6-5.0 3.6-5.0	 	 0 	 0 	0
AgC2: Aura	0-8 8-59 59-72	 	 	3.6-5.0 3.6-5.0 3.6-5.0	 	 0 	 0 	0
AgE3: Aura	0-8 8-59 59-72	 	 	3.6-5.0 3.6-5.0 3.6-5.0		 0 	 0 	0
Ba: Baile	0-9 9-32 32-60	 	 	3.6-5.5 3.6-5.5 3.6-5.5		 	0 0 0	
BeA: Beltsville	0-14 14-25 25-50 50-72	 	 	3.6-5.5 3.6-5.5 3.6-5.5 3.6-5.5		 	0 0 0 0	
BeB2: Beltsville	0-14 14-25 25-50 50-72	 	 	3.6-5.5 3.6-5.5 3.6-5.5 3.6-5.5		 	0 0 0 0	
BeC2: Beltsville	0-14 14-25 25-50 50-72	 	 	3.6-5.5 3.6-5.5 3.6-5.5 3.6-5.5		 	0 0 0 0	
BeC3: Beltsville	0-14 14-25 25-50 50-72	 	 	3.6-5.5 3.6-5.5 3.6-5.5 3.6-5.5		 	0 0 0 0	

Print date: 07/23/2002

Table J2.--Chemical Properties of the Soils--Continued

Map symbol and soil name	 Depth 	Cation exchange capacity	 Effective cation exchange capacity	Soil reaction 	 Calcium carbon- ate	Gypsum	Salinity 	Sodium adsorp- tion ratio
	In	meq/100 g	meq/100 g	рН	Pct	Pct	mmhos/cm	
BeD2: Beltsville	0-14 14-25 25-50 50-72	 	 	3.6-5.5 3.6-5.5 3.6-5.5 3.6-5.5	 	 	0 0 0 0	
BrB2: Brandywine	0-8 8-12 12-25 25-65	 	 	3.6-5.5 3.6-5.5 3.6-5.5 3.6-5.5	 	 	0 0 0 0	
BrC2: Brandywine	0-8 8-12 12-25 25-65	 	 	3.6-5.5 3.6-5.5 3.6-5.5 3.6-5.5	 	 	0 0 0 0	
Brc3: Brandywine	0-8 8-12 12-25 25-65	 	 	3.6-5.5 3.6-5.5 3.6-5.5 3.6-5.5	 	 	0 0 0 0	
BrD2: Brandywine	 0-8 8-12 12-25 25-65	 	 	3.6-5.5 3.6-5.5 3.6-5.5 3.6-5.5	 	 	0 0 0 0	
BrD3: Brandywine	0-8 8-12 12-25 25-65	 	 	3.6-5.5 3.6-5.5 3.6-5.5 3.6-5.5	 	 	0 0 0	
BrF: Brandywine	0-8 8-12 12-25 25-65	 	 	3.6-5.5 3.6-5.5 3.6-5.5 3.6-5.5	 	 	0 0 0 0	
BwD: Brandywine	0-10 10-20 20-72	 	 	3.6-6.0 3.6-6.0 3.6-6.0	 	 	0 0 0 0	
CgB2: Chester	0-8 8-42 42-62	 	 	4.5-5.5 4.5-5.5 4.5-5.5	 	 	0 0 0 0	
CgC2: Chester	 0-8 8-42 42-62	 	 	 4.5-5.5 4.5-5.5 4.5-5.5	 	 	0 0 0 0	
ChA: Chester	 0-8 8-42 42-62	 	 	4.5-5.5 4.5-5.5 4.5-5.5	 	 	0 0 0	

Table J2.--Chemical Properties of the Soils--Continued

Map symbol and soil name	Depth	Cation exchange capacity 		 Soil reaction 	 Calcium carbon- ate 	Gypsum 	Salinity	Sodium adsorp- tion ratio
	In	meq/100 g	meq/100 g	рН	Pct	Pct	mmhos/cm	_
ChB2: Chester	0-8 8-42 42-62	 	 	4.5-5.5 4.5-5.5 4.5-5.5	 	 	0 0 0	
ChC2: Chester	 0-8 8-42 42-62	 	 	 4.5-5.5 4.5-5.5 4.5-5.5		 	0 0 0	
ChC3: Chester	 0-8 8-42 42-62	 	 	 4.5-5.5 4.5-5.5 4.5-5.5		 	0 0 0	
ChD2: Chester	0-8 8-42 42-62	 	 	 4.5-5.5 4.5-5.5 4.5-5.5		 	0 0 0	
ClC3: Chillum	0-8 8-28 28-72	 	 	4.5-5.5 4.5-5.5 4.5-5.5	 	 	0 0 0	
ClD2: Chillum	 0-8 8-28 28-72	 	 	4.5-5.5 4.5-5.5 4.5-5.5	 	 	0 0 0	
ClE2: Chillum	0-8 8-28 28-72	 	 	4.5-5.5 4.5-5.5 4.5-5.5	 	 	0 0 0	
CmB2: Chillum	 0-8 8-28 28-72	 	 	 4.5-5.5 4.5-5.5 4.5-5.5	 	 	0 0 0	
CmC2: Chillum	 0-8 8-28 28-72	 	 	 4.5-5.5 4.5-5.5 4.5-5.5		 	0 0 0	
CnB2: Chillum	 0-8 8-28 28-72	 	 	 4.5-5.5 4.5-5.5 4.5-5.5		 	0 0 0	
Fairfax	0-9 9-19 19-24 24-40 40-80	 	 	4.5-5.0 4.5-5.0 4.5-5.0 4.5-5.0 4.5-5.0	 	 	0 0 0 0	
CnD3: Chillum	 0-8 8-28 28-72	 	 	4.5-5.5 4.5-5.5 4.5-5.5	 	 	0 0 0	

Table J2.--Chemical Properties of the Soils--Continued

Map symbol and soil name	 Depth 	Cation Cation exchange capacity 		 Soil reaction 	 Calcium carbon- ate 	Gypsum 	Salinity	Sodium adsorp- tion ratio
	In	meq/100 g	meq/100 g	рН	Pct	Pct	mmhos/cm	
Fairfax	0-9 9-19 19-24 24-40 40-80	 	 	4.5-5.0 4.5-5.0 4.5-5.0 4.5-5.0 4.5-5.0	 	 	0 0 0 0	
Co: Codorus	0-18 18-54 54-60	 	 	4.5-6.0 5.1-6.5 5.1-6.5	 	 	0 0 0	
Cs: Comus	0-30 30-60	 	 	4.5-6.0 4.5-6.0	 	 	0	
CuB: Comus	0-30 30-60	 	 	4.5-6.0 4.5-6.0	 	 	0	
DeA: Delanco	0-13 13-39 39-72	 	 	3.6-5.5 3.6-5.5 3.6-5.5	 	 	0 0 0	
DeB2: Delanco	 0-13 13-39 39-72	 	 	3.6-5.5 3.6-5.5 3.6-5.5	 	 	0 0 0	
EkA: Elioak	0-15 15-42 42-65	 	 	4.5-6.0 4.5-5.5 4.5-6.0	 	 	0 0 0	
EkB2: Elioak	0-15 15-42 42-65	 	 	4.5-6.0 4.5-5.5 4.5-6.0	 	 	0 0 0	
EkC2: Elioak	0-15 15-42 42-65	 	 	4.5-6.0 4.5-5.5 4.5-6.0	 	 	0 0 0	
EkD2: Elioak	 0-15 15-42 42-65	 	 	4.5-6.0 4.5-5.5 4.5-6.0	 	 	0 0 0	
ElC3: Elioak	 0-15 15-42 42-65	 	 	4.5-5.5 4.5-5.5 4.5-6.0	 	 	0 0 0	
ElD3: Elioak	 0-15 15-42 42-65	 	 	 4.5-5.5 4.5-5.5 4.5-6.0	 	 	0 0 0	

Table J2.--Chemical Properties of the Soils--Continued

Map symbol and soil name	 Depth 	Cation Cation exchange capacity	 Effective cation exchange capacity	 Soil reaction 	 Calcium carbon- ate	 Gypsum 	 Salinity 	Sodium adsorp- tion ratio
	In	meq/100 g	meq/100 g	pH	Pct	Pct	mmhos/cm	
Em: Elkton	0-10 10-24 24-40 40-65	 	5.0-10 2.0-10 2.0-10 2.0-10	3.6-5.5 3.6-5.5 3.6-5.5 3.6-5.5	0 0 0 0	0 0 0 0	0 0 0 0	
Elkton	0-10 10-24 24-40 40-65	 	5.0-10 2.0-10 2.0-10 2.0-10	 3.6-5.5 3.6-5.5 3.6-5.5 3.6-5.5	0 0 0 0	 0 0 0	 0 0 0	0 0 0 0
EnA: Elsinboro	 0-15 15-36 36-60	 	 	 4.5-5.5 4.5-5.5 4.5-5.5	 	 	 0 0 0	
EnB2: Elsinboro	 0-15 15-36 36-60	 	 	4.5-5.5 4.5-5.5 4.5-5.5	 	 	 0 0 0	
Enc2: Elsinboro	 0-15 15-36 36-60	 	 	4.5-5.5 4.5-5.5 4.5-5.5	 	 	0 0 0	
EvB: Evesboro	 0-16 16-40 40-72	 	1.0-3.0 1.0-2.0 1.0-3.0	3.6-5.0 3.6-5.0 4.5-5.0	 	 0 0	 0 0	 0 0
Evc: Evesboro	0-16 16-40 40-72	 	1.0-3.0 1.0-2.0 1.0-3.0	3.6-5.0 3.6-5.0 4.5-5.0	 	 0 0	 0 0	 0 0
Fa: Fallsington	0-10 10-32 32-72	 	2.0-5.0 1.0-3.0 1.0-3.0	3.6-5.5 3.6-5.5 3.6-5.5	 0 0 0	0 0 0 0	0 0 0 0	 0 0 0
Fallsington	0-10 10-32 32-72	 	2.0-5.0 1.0-3.0 1.0-3.0	3.6-5.5 3.6-5.5 3.6-5.5	0 0	0 0 0	0 0 0	0 0 0
Gla: Glenelg	 0-6 6-24 24-65	 	 	4.5-5.5 4.5-6.5 4.5-6.5	 	 	 0 0 0	
GlB2: Glenelg	 0-6 6-24 24-65	 	 	4.5-5.5 4.5-6.5 4.5-6.5	 	 	0 0 0	
Glc2: Glenelg	 0-6 6-24 24-65	 	 	4.5-5.5 4.5-6.5 4.5-6.5	 	 	 0 0 0	

Table J2.--Chemical Properties of the Soils--Continued

Map symbol and soil name	 Depth 	Cation exchange capacity 	 Effective cation exchange capacity	Soil reaction 	Calcium carbon- ate	Gypsum	Salinity	Sodium adsorp- tion ratio
	In	meq/100 g	meq/100 g	рН	Pct	Pct	mmhos/cm	
GlC3: Glenelg	0-6 6-24 24-65	 	 	4.5-5.5 4.5-6.5 4.5-6.5	 	 	0 0 0	
GlD2: Glenelg	0-6 6-24 24-65	 	 	4.5-5.5 4.5-6.5 4.5-6.5	 	 	0 0 0	
GlD3: Glenelg	 0-6 6-24 24-65	 	 	4.5-5.5 4.5-6.5 4.5-6.5	 	 	0 0 0	
GnA: Glenville	 0-9 9-18 18-40 40-62	10-20	 10-20 10-20 10-20	4.5-7.3 4.5-6.0 4.5-6.0 4.5-5.5	0 0	0 0 0 0	0 0 0 0	0 0
GnB2: Glenville	0-9 9-18 18-40 40-62	10-20	 10-20 10-20 10-20	4.5-7.3 4.5-6.0 4.5-6.0 4.5-5.5	 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0
GnC2: Glenville	0-9 9-18 18-40 40-62	10-20	 10-20 10-20 10-20	4.5-7.3 4.5-6.0 4.5-6.0 4.5-5.5	 0 0 0	0 0 0 0	0 0 0 0	0 0 0
<pre>Gp: Gravel Pits And Quar-</pre>	 0-6 6-60	 	 	 		 	0 0	
Ha: Hatboro	0-9 9-44 44-56 56-70	 	 	4.5-7.3 4.5-7.3 5.6-6.5 5.6-6.5	 	 	0 0 0 0	
IuB: Iuka	 0-13 13-22 22-60	 	 	 5.1-6.0 4.5-5.5 4.5-5.5	 	 	0 0 0	
KcE3: Kelly	0-10 10-15 15-40 40-65	 	 	4.5-6.0 4.5-6.0 4.5-7.8 4.5-7.8	 	 	0 0 0 0	
KeB2: Kelly	0-9 9-38 38-41 41-45 45-49	 	 	4.5-6.0 6.1-7.3 6.1-7.3 	 	 	0 0 0 	

Table J2.--Chemical Properties of the Soils--Continued

Map symbol and soil name	Depth	Cation exchange capacity	 Effective cation exchange capacity	Soil reaction 	Calcium carbon- ate		Salinity	Sodium adsorp- tion ratio
	- In	meq/100 g	meq/100 g	pH	Pct	Pct	mmhos/cm	_
KeC2: Kelly	0-10 10-15 15-40 40-65		 	4.5-6.0 4.5-6.0 4.5-7.8 4.5-7.8	 	 	0 0 0	
KhC2: Keyport	0-10 10-60 60-72		 6.0-14 12-20 2.0-16	3.6-5.5 4.5-5.5 3.6-5.5	0 0	0 0 0	0 0 0	 0 0 0
Kn: Kinkora	0-12 12-30 30-36 36-60	 	 	4.5-5.5 4.5-5.0 3.6-5.0 	 	 	0 0 0	
LeB2: Legore	0-10 10-24 24-66 66-70	 	 	5.1-6.0 5.6-6.5 5.6-6.5		 	0 0 0	
LeC2: Legore	0-10 10-24 24-66 66-70	 	 	5.1-6.0 5.6-6.5 5.6-6.5	 	 	0 0 0	
LgC3: Legore	0-10 10-24 24-66 66-70	 	 	 5.1-6.0 5.6-6.5 5.6-6.5 	 	 	0 0 0	
Ll: Leonardtown	0-12 12-49 49-70		 	 3.6-5.5 3.6-5.5 3.6-5.5	 	 	0 0 0	
LnB2: Linganore	0-11 11-17 17-22 22-51 51-55	 	 	5.1-6.5 5.1-6.5 5.1-6.5 	 	 	0 0 0 	
LnC2: Linganore	0-11 11-17 17-22 22-51 51-55	 	 	5.1-6.5 5.1-6.5 5.1-6.5 	 	 	0 0 0 	
LnD2: Linganore	0-11 11-17 17-22 22-51 51-55	 	 	 5.1-6.5 5.1-6.5 5.1-6.5 		 	0 0 0 	

Table J2.--Chemical Properties of the Soils--Continued

Map symbol and soil name	 Depth 	Cation exchange capacity	 Effective cation exchange capacity	 Soil reaction 	 Calcium carbon- ate	Gypsum	Salinity	Sodium adsorp- tion ratio
	I In	meq/100 g	meq/100 g	рН	Pct	Pct	mmhos/cm	
LoE: Linganore	0-11 11-17 17-22 22-51 51-55	 	 	5.1-6.5 5.1-6.5 5.1-6.5 	 	 	0 0 0 	
Md: Made Land	0-6			 			0	
MgB2: Manor	 0-10 10-20 20-72	 	 	3.6-6.0 3.6-6.0 3.6-6.0	 	 	0 0 0	
MgC2: Manor	0-10 10-20 20-72	 	 	3.6-6.0 3.6-6.0 3.6-6.0	 	 	0 0 0	
MgC3: Manor	 0-10 10-20 20-72	 	 	3.6-6.0 3.6-6.0 3.6-6.0	 	 	0 0 0	
MlA: Manor	0-10 10-20 20-72	 	 	3.6-6.0 3.6-6.0 3.6-6.0	 	 	0 0 0	
MlB2: Manor	 0-10 10-20 20-72	 	 	3.6-6.0 3.6-6.0 3.6-6.0	 	 	0 0 0	
MlC2: Manor	0-10 10-20 20-72	 	 	3.6-6.0 3.6-6.0 3.6-6.0	 	 	0 0 0	
M1C3: Manor	0-10 10-20 20-72	 	 	3.6-6.0 3.6-6.0 3.6-6.0	 	 	0 0 0	
M1D2: Manor	 0-10 10-20 20-72	 	 	3.6-6.0 3.6-6.0 3.6-6.0	 	 	0 0 0	
MlD3: Manor	 0-10 10-20 20-72	 	 	3.6-6.0 3.6-6.0 3.6-6.0	 	 	0 0 0	
MlE: Manor	 0-10 10-20 20-72	 	 	3.6-6.0 3.6-6.0 3.6-6.0	 	 	0 0 0	

Table J2.--Chemical Properties of the Soils--Continued

Map symbol and soil name	 Depth 	Cation exchange capacity		 Soil reaction 	 Calcium carbon- ate	Gypsum	Salinity	Sodium adsorp- tion ratio
	In	meq/100 g	meq/100 g	рН	Pct	Pct	mmhos/cm	-
MnD: Manor	 0-10 10-20 20-72	 	 	3.6-6.0 3.6-6.0 3.6-6.0	 	 	0 0 0	
MnF: Manor	 0-10 10-20 20-72	 	 	3.6-6.0 3.6-6.0 3.6-6.0	 	 	0 0 0	
Mo: Mixed Alluvial Land	0-6 6-42 42-60	 	 	3.6-7.3 3.6-7.3 4.5-6.5	 	 	0 0 0	
MpB2: Montalto	 0-11 11-45 45-65	 	 	4.5-6.5 5.1-6.5 5.1-6.5	 	 	0 0 0	
MpC2: Montalto	0-11 11-45 45-65	 	 	4.5-6.5 5.1-6.5 5.1-6.5	 	 	0 0 0	
MqC3: Montalto	0-11 11-45 45-65	 	 	 4.5-6.5 5.1-6.5 5.1-6.5	 	 	0 0 0	
MrE: Montalto	 0-7 7-11 11-45 45-65	 	 	 4.5-6.5 5.1-6.5 5.1-6.5 5.1-6.5		 	0 0 0 0	
Relay	0-8 8-33 33-60 60-64	 	 	4.5-6.0 4.5-6.0 6.1-7.3 	 	 	0 0 0	
MsD: Montalto	 0-7 7-11 11-45 45-65	 	 	4.5-6.5 5.1-6.5 5.1-6.5 5.1-6.5		 	0 0 0 0	
Relay	0-7 7-11 11-45 45-65	 	 	4.5-6.5 5.1-6.5 5.1-6.5 5.1-6.5		 	0 0 0	
MsF: Montalto	 0-7 7-11 11-45 45-65	 	 	 4.5-6.5 5.1-6.5 5.1-6.5 5.1-6.5		 	0 0 0 0	
Relay	 0-7 7-11 11-45 45-65	 	 	 4.5-6.5 5.1-6.5 5.1-6.5 5.1-6.5	 	 	0 0 0 0	

Table J2.--Chemical Properties of the Soils--Continued

Map symbol and soil name	 Depth 	Cation Cation exchange capacity	 Effective cation exchange capacity	 Soil reaction 	 Calcium carbon- ate	Gypsum	 Salinity 	Sodium adsorp- tion ratio
	In	meq/100 g	meq/100 g	pH	Pct	Pct	mmhos/cm	
MtB2: Mt.airy	 0-6 6-33 33-37	 	 	 4.5-5.5 4.5-5.5 	 	 	 0 0 	
MtC2: Mt.airy	 0-6 6-33 33-37	 	 	 4.5-5.5 4.5-5.5 	 	 	0 0 0 	
MtC3: Mt.airy	 0-6 6-33 33-37	 	 	4.5-5.5 4.5-5.5 	 	 	0 0 0	
MtD2: Mt.airy	0-6 6-33 33-37	 	 	4.5-5.5 4.5-5.5 	 	 	0 0 0	
MtE: Mt.airy	 0-6 6-33 33-37	 	 	4.5-5.5 4.5-5.5 	 	 	0 0 	
NeB2: Neshaminy	0-11 11-54 54-58	 20-30 	20-30	4.5-6.0 5.1-6.5 	0 0	0 0 	0 0 0	0 0 0 0
NeC2: Neshaminy	0-11 11-54 54-58	 20-30 	20-30	4.5-6.0 5.1-6.5 	0 0	0 0 	0 0 0	0 0 0
NsD3: Neshaminy	 0-11 11-54 54-58	 20-30 	20-30	4.5-6.0 5.1-6.5 	0 0	0 0 	0 0 	 0 0
ReC2: Relay	 0-8 8-33 33-60 60-64	 	 	4.5-6.0 4.5-6.0 6.1-7.3		 	0 0 0 1 0	
RuB2: Rumford	 0-17 17-37 37-60	 	 	3.6-5.5 3.6-6.0 3.6-6.5	 0 0 0	0 0 0	0 0 0 0	 0 0 0
RuC2: Rumford	 0-17 17-37 37-60	 	 	3.6-5.5 3.6-6.0 3.6-6.5	 0 0 0	0 0 0	0 0 0	 0 0 0
RuD2: Rumford	 0-17 17-37 37-60	 	 	3.6-5.5 3.6-6.0 3.6-6.5		0 0 0	 0 0 0	 0 0 0

Table J2.--Chemical Properties of the Soils--Continued

Map symbol and soil name	Depth	Cation Cation exchange capacity	 Effective cation exchange capacity	 Soil reaction 	 Calcium carbon- ate	Gypsum	 Salinity 	Sodium adsorp- tion ratio
	In	meq/100 g	 meq/100 g	 pH	Pct	Pct	mmhos/cm	
ScB: Sandy And Clayey Land	0-28 28-36 36-60	 	 	4.5-6.0 4.5-5.5 4.5-5.5	 	 	 	
Sandy And Clayey Land	0-7 7-72	 	 	 3.6-5.0 3.6-5.0		 	 0 0	
ScD: Sandy And Clayey Land	0-28 28-36 36-60	 	 	4.5-6.0 4.5-5.5 4.5-5.5	 	 	 	
Sandy And Clayey Land	0-7 7-72	 	 	 3.6-5.0 3.6-5.0			0 0	
ScE: Sandy And Clayey Land	0-28 28-36 36-60	 	 	4.5-6.0 4.5-5.5 4.5-5.5	 	 	 	
Sandy And Clayey Land	0-7 7-72	 	 	3.6-5.0	 		0 0 0	
SfB2: Sassafras	0-9 9-40 40-70	 	 	3.6-5.5 3.6-5.5 3.6-5.5	 	 	0 0 0 0	
SfC2: Sassafras	0-9 9-40 40-70	 	 	3.6-5.5 3.6-5.5 3.6-5.5	 	 	0 0 0	
SfD2: Sassafras	0-9 9-40 40-70	 	 	3.6-5.5 3.6-5.5 3.6-5.5	 	 	0 0 0	
SlB2: Sassafras	0-9 9-40 40-70	 	 2.0-10 1.0-5.0 1.0-5.0	3.6-5.5 3.6-5.5 3.6-5.5	 0 0 0	0 0 0	0 0 0 0	 0 0 0
S1C2: Sassafras	0-9 9-40 40-70	 	2.0-10 1.0-5.0 1.0-5.0	3.6-5.5 3.6-5.5 3.6-5.5	 0	0 0 0	0 0 0	 0 0 0
SlD2: Sassafras	0-9 9-40 40-70	 	 2.0-10 1.0-5.0 1.0-5.0	3.6-5.5 3.6-5.5 3.6-5.5	 0	0 0 0	0 0 0	 0 0 0
SsE: Sassafras	0-9 9-40 40-70	 	2.0-10 1.0-5.0 1.0-5.0	3.6-5.5 3.6-5.5 3.6-5.5		0 0 0	0 0 0 0	 0 0 0

Table J2.--Chemical Properties of the Soils--Continued

Map symbol and soil name	Depth	Cation exchange capacity			Calcium carbon- ate	Gypsum 	Salinity	Sodium adsorp- tion ratio
	In	meq/100 g	meq/100 g	рН	Pct	Pct	mmhos/cm	
St: Stony Land	0-10 10-20 20-72	 	 	3.6-6.0 3.6-6.0 3.6-6.0	 	 	0 0 0	
SuB2: Sunnyside	 0-8 8-48 48-60	 	 	 4.5-5.5 3.6-5.0 3.6-4.4	 	 	0 0 0	
SuD2: Sunnyside	 0-8 8-48 48-60	 	 	 4.5-5.5 3.6-5.0 3.6-4.4	 	 	0 0 0	
W: Water	 		 	 	 			
WaA: Watchung	 0-9 9-51 51-66	 	 	 4.5-6.5 5.1-7.3 5.6-7.3	 	 	0 0 0	
WaB: Watchung	 0-9 9-51 51-66	 	 	 4.5-6.5 5.1-7.3 5.6-7.3	 	 	0 0 0	
WoB2: Woodstown	 0-11 11-29 29-70	 	 2.0-10 1.0-5.0 1.0-5.0	 3.6-5.5 3.6-5.5 3.6-5.5	 0 0 0	0 0 0 0	0 0 0	